



OTR

OFF-THE-ROAD-TIRE



OTR ----- OFF-THE-ROAD-TIRE



[OD 805]



[OD 806]



[OD 807]



[OD 808]



[OD 809]



[OD 810]



OTR

OFF-THE-ROAD-TIRE



[OD 811]



[OD 812]



OTR

----- OFF-THE-ROAD-TIRE

SIZE	P.R.	S.RIM	S.W. (mm)	O.D. (mm)	MAXLOAD (kg)	PRESSURE (kpa)	PATTERN
1800-33	36	13.00/2.5	495	1877	18,500	850	OD807
2100-35	32 36	15.00/3.0	575	2053	21,200	650	OD810
2400-35	42	17.00/3.5	650	2178	29,000	750	OD807
2700-49	48	19.50/4.0	736	2703	25,000	775	OD807 OD812
3000-51	40 46 52	22.00/4.5	820	2850	45000 48700 53000	575 650 750	OD807
3300-51	58	24.00/5.0	830	3054	35,500	575	OD807
3600-51	58	26.00/5.0	990	3233	71,000	675	OD807
4000-57	60	29.00/6.0	1,095	3593.75	87,500	650	OD807
13.00-24	12	9.00VA	340	1300	3000 5600	300 450	DO808
14.00-20	18 20	10.00	375	1265	4625 5000	670 775	OD805
14.00-24	16 24	10.00	375	1370	4270 5410	420 630	DO808
15.5-25	8 10 12 16	12.00/1.3	395	1275	5300 6340	390 530	DO808
16.00-24	12 16 20 24	11.25/2.0	430	1490	7,360	425 650	DO808
16.00-25	20 24 28 32 36	11.25/2.0	430	1490	7,360	750	DO808
17.5-25	16 20	14.00/1.5	445	1350	7020 7620	490 530	DO808 OD809
18.00-25	24 28 32 36	13.00	495	1615	8750 15000	575 750	DO808OD809
20.5-25	16 20	17.00/2.0	520	1490	7730 9070	350 460	DO808
23.1-26	10 12	DW20	587	1605	3175 3490	170 200	OD811
23.5-25	16 20	19.50/2.5	595	1615	9470 10630	320 390	DO808OD809
26.5-25	24 28	22.00/3.0	675	1750	14000 15490	490 460	DO808OD809
29.5-25-28	28	25.00/3.5	750	1875	17,500	425	DO808OD809
29.5-29-28	22 28 34 40	25.00	750	1875	21200 14000	525 400	DO808 OD807
33.25-35	32	27.00/3.5	845	2240	25,700	450	OD811
37.25-35	36	31.00/4.0	945	2390	30,700	450	OD811
35/65-33	36	28.00/3.5	890	2077.5	23,600	525	OD811
45/65-45	38 46 58	36.00/4.5	1,140	2732.5	40000 43750 63630	450 525 675	OD811



TBR/LTR

TRUCK & BUS RADIAL TIRES
LIGHT TRUCK RADIAL TIRES



TBR/LTR

TRUCK & BUS RADIAL TIRES
LIGHT TRUCK RADIAL TIRES



[OD 201]



[OD 202]



[OD 203]



[OD 204]



[OD 205]



[OD 206]



TBR/LTR

TRUCK & BUS RADIAL TIRES
LIGHT TRUCK RADIAL TIRES



TBR/LTR

TRUCK & BUS RADIAL TIRES
LIGHT TRUCK RADIAL TIRES



[OD 207]



[OD 208]



[OD 210]



[OD 211]

SIZE	P.R.	S.RIM	A.RIM	S.W.(mm)	O.D.(mm)	MAXLOAD (kg)	PRESSURE (kpa)	PATTERN
8.25R16	14	6.50H	6.00G	235	855	1705/1500	670/670	OD210
8.25R20	14	6.50	/	236	974	2205/1940	840/770	OD210
9.00R20	14 16	7.00	7.50	259	1,018	2430	900	OD203
10.00R20	16 18	7.50	8.00	278	1,051	2725	930	OD203
11.00R20	16 18	8.00	8.50	293	1,084	3075	930	OD203
12.00R20	18 20	8.50	9.00	315	1,125	3450	900	OD203 OD201
12.00R24	18	8.50	8.50V 9.00V	298	1,204	4000	775	OD203
11R22.5	16	8.25	7.50	279	1,074	3150	850	OD202 OD206 OD207 OD211
11R24.5	16	8.25	7.50	279	1,126	3250	830	OD207 OD208 OD211
12R22.5	18	9.00	8.25	298	1,092	3150 3350	850	OD202 OD206 OD211
275/80R22.5	16	8.25	7.5	284	1,031	2800 3150	825	OD206
285/75R24.5	16	8.25	/	283	1,073	3075	830	OD207 OD208
295/75R22.5	16	9.00	8.25	298	1,038	3000	830	OD216 OD518
295/80R22.5	16	9.00	/	298	1,072	3550	850	OD202 OD206
315/80R22.5	18	9.00	8.25	313	1,080	3350 3750	825	OD202
385/65R22.5	18	11.75	11.75	382	1,072	4250	850	OD204